

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION N	Ю.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/016,706		12/11/2001	Cinderella Blanchat	7594-84862	4431
24628	7590	09/10/2004		EXAMINER	
WELSH 120 S RIV				KRISHNAN, GANAPATHY	
22ND FL			ART UNIT	PAPER NUMBER	
CHICAGO, IL 60606				1623	
				DATE MAILED: 09/10/2004	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)				
		10/016,706	BLANCHAT ET AL.				
	Office Action Summary	Examiner	Art Unit				
		Ganapathy Krishnan	1623				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
THE - Exte after - If the - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY MAILING DATE OF THIS COMMUNICATION. Insions of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. Is period for reply specified above is less than thirty (30) days, a reply operiod for reply is specified above, the maximum statutory period we re to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	within the statutory minimum of thirty (30) days ill apply and will expire SIX (6) MONTHS from to cause the application to become ABANDONED	ely filed s will be considered timely. the mailing date of this communication. O (35 U.S.C. § 133).				
Status							
1)	Responsive to communication(s) filed on	_•					
2a)⊠		action is non-final.					
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Dispositi	on of Claims						
4) 🖂	4)⊠ Claim(s) <u>1-23</u> is/are pending in the application.						
	4a) Of the above claim(s) is/are withdrawn from consideration.						
5)	5) Claim(s) is/are allowed.						
6)⊠	6) Claim(s) 1-23 is/are rejected.						
7)	Claim(s) is/are objected to.						
8)	8) Claim(s) are subject to restriction and/or election requirement.						
Applicati	on Papers						
9) 🔲 -	The specification is objected to by the Examiner						
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.							
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) 🔲 -	11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority u	nder 35 U.S.C. § 119						
12) 🗀 🗸	Acknowledgment is made of a claim for foreign r	priority under 35 H.S.C. & 119/a)	(d) or (f)				
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:							
•	1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No							
3. Copies of the certified copies of the priority documents have been received in this National Stage							
	application from the International Bureau		· ·				
* See the attached detailed Office action for a list of the certified copies not received.							
Attachment	(s)						
	of References Cited (PTO-892)	4) Interview Summary (F	PTO-413)				
2) 🔲 Notice	of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Date	2				
	ation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) No(s)/Mail Date	5) Notice of Informal Pat 6) Other:	ent Application (PTO-152)				

Application/Control Number: 10/016,706

Art Unit: 1623

DETAILED ACTION

The amendment filed May 10, 2004 has been received, entered and carefully considered.

The following information provided in the amendment affects the instant application:

- 1. Claims 1, 3, 13, 18, 20, 21 and 22 have been amended.
- 2. Remarks drawn to rejections under obviousness-type double patenting, 35 U.S.C. 101 and 112, second paragraph.

Claims 1-23 are pending in the case.

The text of those sections of Title 35, U. S. Code not included in this action can be found in a prior Office action.

Claim Objections

The objection to claim 3 has been overcome by amendment.

Double Patenting

The obviousness-type double patenting rejection of claims 1-3 and 5 over claims 1-6 and 11 of U.S. Patent No. 6646120 ('120 patent) is being maintained for reasons of record.

Applicants have amended instant claim 1 to recite crosslinked insolubilized dextran derivative and argue that this limitation is patentably distinct over the claims of the '120 patent because the dextran derivatives of the '120 patent are soluble compounds.

This is not found to be persuasive because the limitation about solubility is not in the claims of the '120 patent. Moreover, instant claim 1 is drawn to a dextran derivative that comprises most of the limitations of the derivative of claim 1 of the '120 patent. Instant claim 1

uses open-ended language. The dextran derivative of instant claim 1 can have other limitations in addition to those recited in the claim. The recitation crosslinking is still not seen as a patentably distinct limitation.

The obviousness double patenting rejection is maintained.

Claim Rejections - 35 USC § 101

The rejection of claims 20-22 under 35 U.S.C. 101 as use claims has been overcome by amendment.

Claim Rejections - 35 USC § 112

The rejection of claims 1, 13 and 18 under 35 U.S.C. 112, second paragraph has been overcome by amendment.

The rejection of claims 20-22 is being maintained.

Applicants have amended claims 20-22 as product claims and not as use claims.

Claims 20-22 are substantial duplicates of claim 1, since these claims recite an intended use.

Conclusion

Claims 1-23 are rejected

Application/Control Number: 10/016,706

Art Unit: 1623

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ganapathy Krishnan whose telephone number is 571-272-0654. The examiner can normally be reached on 8.30am-5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, James O. Wilson can be reached on 571-272-0661. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 1623

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

GK

JAMES O. WILSON PAISORY PAIENT EXAMINER

ECHNOLOGY CENTER 1600